



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

OAKLAND, CAL.

Sick inspected	202
Dead inspected	63
Premises inspected	703
Houses disinfected	9
Nuisances abated	75
Rats found dead	28
Rats trapped	565
Poisons placed	292, 000
Notices served	25
Rats examined bacteriologically	467
Rats infected with bacillus pestis	13
Certificates signed	8
Necropsies held	4

POINT RICHMOND, CAL.

Sick inspected	6
Dead inspected	6
Premises inspected	181
Nuisances abated	45
Rats found dead	57
Rats trapped	280
Poisons placed	7, 250

EMERYVILLE, CAL.

Premises inspected	26
Houses disinfected	3
Rats found dead	12
Rats trapped	88
Poisons placed	15, 680
Notices served	18

Outgoing quarantine transactions.

Passed Assistant Surgeon Hobdy reports, February 27:

Week ended February 15:	
Vessels fumigated and certified	69
Vessels certified	44
Week ended February 22:	
Vessels fumigated and certified	70
Vessels certified	37

Report from Seattle, Wash.—Plague-prevention work.

Passed Assistant Surgeon Glover reports for the week ended February 22:

Rats delivered and cremated	731
Necropsies on rats	625
Pounds of poison placed	100
Vessels fumigated	5

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES
OF THE UNITED STATES—UNTABULATED.

CALIFORNIA.—Month of January, 1908. Estimated population, 2,001,193. Total number of deaths reported to the State board of health, 2,920, including diphtheria 48, enteric fever 37, measles 2, scarlet fever 10, plague 1, whooping cough 10, and 446 from tuberculosis.

CONNECTICUT—*Stamford*.—Month of February, 1908. Estimated population, 20,000. Number of deaths not reported. Cases: Diphtheria 1, measles 2, scarlet fever 1, whooping cough 3, and tuberculosis 4.

ILLINOIS—*Rockford*.—Month of January, 1908. Estimated population, 45,000. Total number of deaths not reported. Cases: Diphtheria 9, smallpox 14, and scarlet fever 3.

Month of February, 1908. Total number of deaths, not reported; one death from scarlet fever. Cases: Diphtheria 11, smallpox 16, and scarlet fever 5.

INDIANA—*Anderson*.—Month of February, 1908. Estimated population, 25,398. Total number of deaths, 15, including 5 from tuberculosis. Cases: Smallpox 2, tuberculosis 5.

Lafayette.—Year ended December 31, 1907. Estimated population, 23,000. Total number of deaths, 247, including diphtheria 2, enteric fever 2, measles 1, whooping cough 2, and 20 from phthisis pulmonalis. Cases: Diphtheria 12, enteric fever 11, measles 226, scarlet fever 4, smallpox 34, whooping cough 20, and tuberculosis 14. Annual death rate, 10.3 per 1,000 population.

Muncie.—Month ended March 3, 1908. Estimated population, 34,036. Total number of deaths, 27, including 2 from tuberculosis. Cases: Diphtheria 3, scarlet fever 3, measles 3, smallpox 7, and whooping cough 3.

IOWA—*Sioux City*.—Month of February, 1908. Estimated population, 50,000. Total number of deaths not reported: Two deaths each from measles and scarlet fever. Cases: Diphtheria 6, measles 30, scarlet fever 8, smallpox 26, whooping cough 5, and tuberculosis 1.

MICHIGAN.—Month of January, 1908. There were 3,097 deaths returned to the department of state as having occurred during the month of January, which corresponds to an annual death rate of 12.4 per 1,000 estimated population. There was an increase of 330 over December, but a decrease of 238 from the number returned for the corresponding month of 1907.

Important causes of death were as follows: Pulmonary tuberculosis, 184; other forms of tuberculosis, 26; typhoid fever, 32; diphtheria and croup, 44; scarlet fever, 33; measles, 11; whooping cough, 17.

MINNESOTA—*Stillwater*.—Month of October,^a 1907. Census population, 12,318. Total number of deaths, 5. No deaths nor cases of contagious disease.

Month of November, 1907. Total number of deaths, 8, including enteric fever 1 and 1 from tuberculosis.

^a Received out of regular order.

Month of December, 1907. Total number of deaths, 16, including enteric fever 1 and 3 from tuberculosis.

MONTANA.—Month of January, 1908. Estimated population, 280,000. Reports to the State board of health show as follows: Total number of deaths, 446, including diphtheria 15, enteric fever 8, scarlet fever 6, measles 2, whooping cough 3 and 24 from tuberculosis. Cases: Diphtheria 89, enteric fever 36, measles 54, scarlet fever 67, and smallpox 18.

Anaconda.—Month of January, 1908. Estimated population, 12,267. Total number of deaths, 15, including 2 from tuberculosis. Cases: Scarlet fever 3 and measles 4.

Billings.—Month of January, 1908. Estimated population, 4,000. Total number of deaths, 30, including diphtheria 2, enteric fever 3 and 1 from measles. Cases: Diphtheria 1 and measles 19.

Bozeman.—Month of January, 1908. Estimated population, 4,000. Total number of deaths, 6, including 1 from tuberculosis.

Great Falls.—Month of January, 1908. Estimated population, 21,500. Total number of deaths, 13, including enteric fever 1, tuberculosis 1, and 2 from scarlet fever.

Helena.—Month of January, 1908. Estimated population, 16,770. Total number of deaths, 32, including diphtheria 2 and 1 from enteric fever. Cases: Measles 1, scarlet fever 7, diphtheria 2, and smallpox 1.

Livingston.—Month of January, 1908. Estimated population, 3,500. Total number of deaths, 11. Cases: Diphtheria 3 and measles 2.

Missoula.—Month of January, 1908. Estimated population, 5,000. Total number of deaths, 24, including tuberculosis 1 and 1 from enteric fever. Cases: Diphtheria 6, enteric fever 6, measles 3, and smallpox 5.

NEW HAMPSHIRE—*Concord.*—Month of February, 1908. Estimated population, 20,000. Total number of deaths, 33, including diphtheria 2, and 3 from tuberculosis. Cases: Diphtheria 10, measles 1, scarlet fever 2, and tuberculosis 3.

Franklin.—Month of February, 1908. Estimated population, 6,000. Total number of deaths, 17. Cases: Diphtheria, 1.

NEW JERSEY—*Morristown.*—Month of February, 1908. Estimated population, 12,500. Total number of deaths, 28, including scarlet fever 2, whooping cough 3, and 2 from tuberculosis. Cases: Whooping cough 7, diphtheria 2, enteric fever 1, tuberculosis 4, and scarlet fever 9.

NEW YORK—*Saratoga Springs.*—Month of February, 1908. Estimated population, 11,222. Total number of deaths, 22, including 2 from tuberculosis. Cases: Diphtheria 2, scarlet fever 1, and tuberculosis 2.

Schenectady.—Month of February, 1908. Estimated population, 77,666. Total number of deaths, 80, including enteric fever 1, and 3 from tuberculosis. Cases: Diphtheria 21, enteric fever 2, measles 5, and scarlet fever 9.

OHIO—Ironton.—Month of February, 1908. Estimated population, 18,000. Total number of deaths, 19. No deaths from contagious diseases.

Toledo.—Year ended December 31, 1907. Estimated population, 179,381. Total number of deaths, 2,169, corresponding to an annual death rate of 12.09 per 1,000 of the population. Cases and deaths were reported as follows: Diphtheria, 215 cases, 26 deaths; enteric fever, 184 cases, 56 deaths; measles, 1,406 cases, 9 deaths; scarlet fever, 128 cases, 5 deaths; smallpox, 71 cases and no deaths.

Zanesville.—Month of February, 1908. Estimated population, 26,000. Total number of deaths, 45, including enteric fever 3 and 4 from tuberculosis. Cases: Enteric fever 17, scarlet fever 6, and smallpox 2.

PENNSYLVANIA—Dunmore.—Month of February, 1908. Estimated population, 17,500. Total number of deaths, 35, including diphtheria 1 and 2 from tuberculosis. Cases: Scarlet fever 4, diphtheria 1, measles 4, and tuberculosis 2.

Highspire.—Month ended February 28, 1908. Estimated population, 1,500. One death from tuberculosis reported. Cases: Scarlet fever 6 and tuberculosis 1.

South Bethlehem.—Month of February, 1908. Estimated population, 18,000. Total number of deaths, 22, including 1 from tuberculosis. Cases: Measles 4, enteric fever 5, diphtheria 2, and scarlet fever 9.

York.—Month of January, 1908. Estimated population, 49,000. Total number of deaths, 66. Cases: Diphtheria 9, enteric fever 4, whooping cough 19, scarlet fever 3, and measles 127.

VIRGINIA—Newport News.—Month of February, 1908. Estimated population, 28,749. Total number of deaths reported, 30, including 5 from tuberculosis. Cases: Enteric fever 3 and smallpox 1.

WASHINGTON—Seattle.—Month of January, 1908. Estimated population, 240,000. Total number of deaths, 179, including diphtheria 11, enteric fever 3, scarlet fever 1, and 15 from tuberculosis. Cases: Diphtheria 110, enteric fever 9, measles 12, scarlet fever 19, and smallpox 18.